

2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 1,297 middle school students in West Region during February of 2009. Frequency distributions may not total 1,297 due to non-response and percents may not total 100 percent due to rounding.

<i>Q-1. How old are you?</i>	<u>Count</u>	<u>Percent</u>
a. 10 years old or younger	9	0.7%
b. 11 years old	0	0.0%
c. 12 years old	221	17.2%
d. 13 years old	595	46.3%
e. 14 years old	433	33.7%
f. 15 years old	24	1.9%
g. 16 years old or older	2	0.2%
Total	1,284	100.0%

<i>Q-2. What is your sex?</i>	<u>Count</u>	<u>Percent</u>
a. Female	632	49.3%
b. Male	650	50.7%
Total	1,282	100.0%

<i>Q-3. In what grade are you?</i>	<u>Count</u>	<u>Percent</u>
a. 7th grade	583	46.2%
b. 8th grade	679	53.8%
Total	1,262	100.0%

<i>Q-4. Are you Hispanic or Latino?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	116	9.2%
b. No	1,139	90.8%
Total	1,255	100.0%

<i>Q-5. What is your race?</i>	<u>Count</u>	<u>Percent</u>
a. American Indian or Alaskan Native	151	11.6%
b. Asian	42	3.2%
c. Black or African American	31	2.4%
d. Native Hawaiian or Other Pacific Islander	26	2.0%
e. White	1,079	83.2%
(More than one response allowed)	Total	1,329
		102.5%

<i>Q-6. When you ride a bicycle, how often did you wear a helmet?</i>	<u>Count</u>	<u>Percent</u>
a. I do not ride a bicycle	95	7.4%
b. Never wear a helmet	583	45.3%
c. Rarely wear a helmet	233	18.1%
d. Sometimes wear a helmet	129	10.0%
e. Most of the time wear a helmet	122	9.5%
f. Always wear a helmet	125	9.7%
Total	1,287	100.0%

2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-7. When you rollerblade or ride skateboard, how often did you wear a helmet?</i>	<u>Count</u>	<u>Percent</u>
a. I do not rollerblade or ride a skateboard	622	48.3%
b. Never wear a helmet	350	27.2%
c. Rarely wear a helmet	114	8.9%
d. Sometimes wear a helmet	52	4.0%
e. Most of the time wear a helmet	57	4.4%
f. Always wear a helmet	93	7.2%
Total	1,288	100.0%

<i>Q-8. How often do you wear your seat belt when riding in a car?</i>	<u>Count</u>	<u>Percent</u>
a. Never	33	2.6%
b. Rarely	63	5.0%
c. Sometimes	127	10.1%
d. Most of the time	355	28.3%
e. Always	676	53.9%
Total	1,254	100.0%

<i>Q-9. How often do you wear your seat belt when driving a car?</i>	<u>Count</u>	<u>Percent</u>
a. I do not drive a car	895	70.6%
b. Never	41	3.2%
c. Rarely	30	2.4%
d. Sometimes	26	2.1%
e. Most of the time	62	4.9%
f. Always	214	16.9%
Total	1,268	100.0%

<i>Q-10. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	1,025	80.0%
b. 1 time	85	6.6%
c. 2 or 3 times	76	5.9%
d. 4 or 5 times	27	2.1%
e. 6 or more times	69	5.4%
Total	1,282	100.0%

<i>Q-11. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	1,215	95.1%
b. 1 time	26	2.0%
c. 2 or 3 times	7	0.5%
d. 4 or 5 times	6	0.5%
e. 6 or more times	24	1.9%
Total	1,278	100.0%

<i>Q-12. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	977	75.7%
b. 1 day	77	6.0%
c. 2 or 3 days	80	6.2%
d. 4 or 5 days	29	2.2%
e. 6 or more days	128	9.9%
Total	1,291	100.0%

2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-13. During the past 30 days, on how many days did you carry a gun?</i>			<u>Count</u>	<u>Percent</u>
a. 0 days	1,143	89.2%		
b. 1 day	64	5.0%		
c. 2 or 3 days	26	2.0%		
d. 4 or 5 days	17	1.3%		
e. 6 or more days	32	2.5%		
Total	1,282	100.0%		
<i>Q-14. During the past 30 days, did you carry a weapon such as a gun, knife or club on school property?</i>			<u>Count</u>	<u>Percent</u>
a. Yes	122	9.5%		
b. No	1,157	90.5%		
Total	1,279	100.0%		
<i>Q-15. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?</i>			<u>Count</u>	<u>Percent</u>
a. 0 days	1,187	92.7%		
b. 1 day	58	4.5%		
c. 2 or 3 days	13	1.0%		
d. 4 or 5 days	6	0.5%		
e. 6 or more days	17	1.3%		
Total	1,281	100.0%		
<i>Q-16. During the past 12 months, has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?</i>			<u>Count</u>	<u>Percent</u>
a. Yes	118	9.2%		
b. No	1,165	90.8%		
Total	1,283	100.0%		
<i>Q-17. During the past 12 months, have you ever been in a physical fight?</i>			<u>Count</u>	<u>Percent</u>
a. Yes	465	36.8%		
b. No	797	63.2%		
Total	1,262	100.0%		
<i>Q-18. During the past 12 months, have you ever been in a physical fight in which you were hurt and had to be treated by a doctor or nurse?</i>			<u>Count</u>	<u>Percent</u>
a. Yes	73	5.7%		
b. No	1,214	94.3%		
Total	1,287	100.0%		
<i>Q-19. During the past 12 months, have you ever been in a physical fight on school property?</i>			<u>Count</u>	<u>Percent</u>
a. Yes	238	18.6%		
b. No	1,044	81.4%		
Total	1,282	100.0%		
<i>Q-20. During the past 12 months, have you ever been bullied on school property?</i>			<u>Count</u>	<u>Percent</u>
a. Yes	430	34.6%		
b. No	812	65.4%		
Total	1,242	100.0%		

2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-21. During the past 12 months, have you ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging?	<u>Count</u>	<u>Percent</u>
a. Yes	217	16.9%
b. No	1,069	83.1%
Total	1,286	100.0%
Q-22. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?	<u>Count</u>	<u>Percent</u>
a. Yes	271	21.2%
b. No	1,008	78.8%
Total	1,279	100.0%
Q-23. During the past 12 months, did you ever seriously think about killing yourself?	<u>Count</u>	<u>Percent</u>
a. Yes	190	14.9%
b. No	1,084	85.1%
Total	1,274	100.0%
Q-24. During the past 12 months, did you make a plan about how you would kill yourself?	<u>Count</u>	<u>Percent</u>
a. Yes	134	10.4%
b. No	1,156	89.6%
Total	1,290	100.0%
Q-25. During the past 12 months, did you ever try to kill yourself?	<u>Count</u>	<u>Percent</u>
a. Yes	71	5.5%
b. No	1,209	94.5%
Total	1,280	100.0%
Q-26. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?	<u>Count</u>	<u>Percent</u>
a. I did not attempt suicide	1,023	80.9%
b. Yes	82	6.5%
c. No	159	12.6%
Total	1,264	100.0%
Q-27. Have you ever tried cigarette smoking, even one or two puffs	<u>Count</u>	<u>Percent</u>
a. Yes	309	24.3%
b. No	960	75.7%
Total	1,269	100.0%
Q-28. How old were you when you smoked a whole cigarette for the first time?	<u>Count</u>	<u>Percent</u>
a. I have never smoked a whole cigarette	1,085	84.4%
b. 8 years old or younger	55	4.3%
c. 9 years old	17	1.3%
d. 10 years old	24	1.9%
e. 11 years old	26	2.0%
f. 12 years old	33	2.6%
g. 13 years old or older	45	3.5%
Total	1,285	100.0%

2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-29. During the past 30 days, on how many days did you smoke cigarettes?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	1,154	90.9%
b. 1 or 2 days	37	2.9%
c. 3 to 5 days	16	1.3%
d. 6 to 9 days	12	0.9%
e. 10 to 19 days	10	0.8%
f. 20 to 29 days	8	0.6%
g. All 30 days	33	2.6%
Total	1,270	100.0%

<i>Q-30. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?</i>	<u>Count</u>	<u>Percent</u>
a. I did not smoke cigarettes during the past 30 days	1,176	91.4%
b. Less than 1 cigarette per day	35	2.7%
c. 1 cigarette per day	18	1.4%
d. 2 to 5 cigarettes per day	30	2.3%
e. 6 to 10 cigarettes per day	9	0.7%
f. 11 to 20 cigarettes per day	3	0.2%
g. More than 20 cigarettes per day	16	1.2%
Total	1,287	100.0%

<i>Q-31. During the past 30 days, how did you usually get your own cigarettes?</i>	<u>Count</u>	<u>Percent</u>
a. I did not smoke cigarettes during the past 30 days	1,167	90.7%
b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station	6	0.5%
c. I bought them from a vending machine	8	0.6%
d. I gave someone else money to buy them for me	18	1.4%
e. I borrowed them from someone else	20	1.6%
f. A person 18 years old or older gave them to me	2	0.2%
g. I took them from a store or family member	21	1.6%
h. I got them some other way	45	3.5%
Total	1,287	100.0%

<i>Q-32. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	88	6.9%
b. No	1,186	93.1%
Total	1,274	100.0%

<i>Q-33. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garret, Beechnut, Skoal, Skoal Bandits, or Copenhagen?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	1,201	93.6%
b. 1 or 2 days	38	3.0%
c. 3 to 5 days	7	0.5%
d. 6 to 9 days	4	0.3%
e. 10 to 19 days	7	0.5%
f. 20 to 29 days	6	0.5%
g. All 30 days	20	1.6%
Total	1,283	100.0%

2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-34. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	1,203	93.9%
b. 1 or 2 days	39	3.0%
c. 3 to 5 days	11	0.9%
d. 6 to 9 days	5	0.4%
e. 10 to 19 days	6	0.5%
f. 20 to 29 days	2	0.2%
g. All 30 days	15	1.2%
Total	1,281	100.0%

<i>Q-35. Have you ever had a drink of alcohol, other than a few sips?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	484	38.3%
b. No	781	61.7%
Total	1,265	100.0%

<i>Q-36. How old were you when you had your first drink of alcohol other than a few sips?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had a drink of alcohol other than a few sips	793	62.9%
b. 8 years old or younger	110	8.7%
c. 9 years old	25	2.0%
d. 10 years old	51	4.0%
e. 11 years old	59	4.7%
f. 12 years old	110	8.7%
g. 13 years old or older	112	8.9%
Total	1,260	100.0%

<i>Q-37. During the past 30 days, on how many days did you have at least one drink of alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	1,027	80.1%
b. 1 or 2 days	140	10.9%
c. 3 to 5 days	52	4.1%
d. 6 to 9 days	24	1.9%
e. 10 to 19 days	14	1.1%
f. 20 to 29 days	7	0.5%
g. All 30 days	18	1.4%
Total	1,282	100.0%

<i>Q-38. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	1,143	89.5%
b. 1 day	55	4.3%
c. 2 days	34	2.7%
d. 3 to 5 days	21	1.6%
e. 6 to 9 days	4	0.3%
f. 10 to 19 days	7	0.5%
g. 20 or more days	13	1.0%
Total	1,277	100.0%

2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-39. Have you ever used marijuana?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	198	15.5%
b. No	1,076	84.5%
Total	1,274	100.0%

<i>Q-40. How old were you when you tried marijuana for the first time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never tried marijuana	1,094	85.4%
b. 8 years old or younger	56	4.4%
c. 9 years old	15	1.2%
d. 10 years old	8	0.6%
e. 11 years old	19	1.5%
f. 12 years old	33	2.6%
g. 13 years old or older	56	4.4%
Total	1,281	100.0%

<i>Q-41. During the past 30 days, how many times did you marijuana?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	1,157	91.2%
b. 1 or 2 times	40	3.2%
c. 3 to 9 times	24	1.9%
d. 10 to 19 times	17	1.3%
e. 20 to 39 times	11	0.9%
f. 40 or more times	20	1.6%
Total	1,269	100.0%

<i>Q-42. Have you ever used any form of cocaine, including powder, crack, or freebase?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	63	4.9%
b. No	1,218	95.1%
Total	1,281	100.0%

<i>Q-43. Have you ever sniffed glue or breathed the contents of spray cans, or inhaled any paints or sprays to get high?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	154	12.1%
b. No	1,124	87.9%
Total	1,278	100.0%

<i>Q-44. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	1,206	94.4%
b. 1 or 2 times	49	3.8%
c. 3 to 9 times	7	0.5%
d. 10 to 19 times	0	0.0%
e. 20 to 39 times	3	0.2%
f. 40 or more times	12	0.9%
Total	1,277	100.0%

<i>Q-45. Have you ever used steroid pills or shots without a doctor's prescription</i>	<u>Count</u>	<u>Percent</u>
a. Yes	49	3.8%
b. No	1,233	96.2%
Total	1,282	100.0%

2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q46 During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

	<u>Count</u>	<u>Percent</u>
a. Yes	94	7.3%
b. No	1,187	92.7%
Total	1,281	100.0%

Q-47. Have you ever had sexual intercourse?

	<u>Count</u>	<u>Percent</u>
a. Yes	192	15.5%
b. No	1,044	84.5%
Total	1,236	100.0%

Q-48. How old were you when you had sexual intercourse for the first time?

	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	1,055	82.8%
b. 8 years old or younger	71	5.6%
c. 9 years old	4	0.3%
d. 10 years old	15	1.2%
e. 11years old	12	0.9%
f. 12 years old	36	2.8%
g. 13 years old or older	81	6.4%
Total	1,274	100.0%

Q-49. With how many people have you had sexual intercourse?

	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	1,093	85.2%
b. 1 person	83	6.5%
c. 2 people	30	2.3%
d. 3 people	17	1.3%
e. 4 people	14	1.1%
f. 5 people	7	0.5%
g. 6 or more people	39	3.0%
Total	1,283	100.0%

Q-50. During the past 3 months, with how many people did you have sexual intercourse?

	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	1,087	85.3%
b. I have had sexual intercourse, but not during the past 3 months	84	6.6%
c. 1 person	57	4.5%
d. 2 people	16	1.3%
e. 3 people	8	0.6%
f. 4 people	6	0.5%
g. 5 people	1	0.1%
h. 6 or more people	16	1.3%
Total	1,275	100.0%

Q-51. Did you drink alcohol or use drugs before you had sexual intercourse the last time?

	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	1,074	83.8%
b. Yes	71	5.5%
c. No	136	10.6%
Total	1,281	100.0%

2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-52. The last time you had sexual intercourse, did you or your partner use a condom?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	1,070	84.4%
b. Yes	123	9.7%
c. No	75	5.9%
Total	1,268	100.0%
<i>Q-53. How do you describe your weight?</i>	<u>Count</u>	<u>Percent</u>
a. Very underweight	53	4.2%
b. Slightly underweight	191	15.1%
c. About the right weight	725	57.2%
d. Slightly overweight	261	20.6%
e. Very overweight	37	2.9%
Total	1,267	100.0%
<i>Q-54. Which of the following are you trying to do about your weight?</i>	<u>Count</u>	<u>Percent</u>
a. Lose weight	470	37.2%
b. Gain weight	148	11.7%
c. Stay the same weight	292	23.1%
d. I am not trying to do anything about my weight	355	28.1%
Total	1,265	100.0%
<i>Q-55. During the past 7 days, on how many days did you eat breakfast?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	125	9.9%
b. 1 day	59	4.7%
c. 2 days	80	6.3%
d. 3 days	69	5.5%
e. 4 days	75	6.0%
f. 5 days	104	8.3%
g. 6 days	103	8.2%
h. 7 days	645	51.2%
Total	1,260	100.0%
<i>Q-56. During the past 30 days, did you exercise to lose weight or to keep from gaining weight?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	700	57.0%
b. No	529	43.0%
Total	1,229	100.0%
<i>Q-57. During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	398	31.2%
b. No	878	68.8%
Total	1,276	100.0%
<i>Q-58. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	107	8.4%
b. No	1,167	91.6%
Total	1,274	100.0%

2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-59. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not include meal replacement products such as Slim Fast.)

	<u>Count</u>	<u>Percent</u>
a. Yes	45	3.6%
b. No	1,220	96.4%
Total	1,265	100.0%

Q-60. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?

	<u>Count</u>	<u>Percent</u>
a. Yes	61	4.8%
b. No	1,202	95.2%
Total	1,263	100.0%

Q-61. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?

	<u>Count</u>	<u>Percent</u>
a. I did not drink 100% fruit juice during the past 7 days	278	21.9%
b. 1 to 3 times during the past 7 days	462	36.3%
c. 4 to 6 times during the past 7 days	254	20.0%
d. 1 time per day	86	6.8%
e. 2 times per day	92	7.2%
f. 3 times per day	41	3.2%
g. 4 or more times per day	59	4.6%
Total	1,272	100.0%

Q-62. During the past 7 days, how many times did you eat fruit?

	<u>Count</u>	<u>Percent</u>
a. I did not eat fruit during the past 7 days	115	9.1%
b. 1 to 3 times during the past 7 days	397	31.4%
c. 4 to 6 times during the past 7 days	308	24.3%
d. 1 time per day	137	10.8%
e. 2 times per day	147	11.6%
f. 3 times per day	75	5.9%
g. 4 or more times per day	86	6.8%
Total	1,265	100.0%

Q-63. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?

	<u>Count</u>	<u>Percent</u>
a. I did not drink a soda or pop during the past 7 days	278	21.9%
b. 1 to 3 times during the past 7 days	567	44.6%
c. 4 to 6 times during the past 7 days	190	14.9%
d. 1 time per day	78	6.1%
e. 2 times per day	75	5.9%
f. 3 times per day	17	1.3%
g. 4 or more times per day	66	5.2%
Total	1,271	100.0%

2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-64. During the past 7 days, how many glasses of milk did you drink?</i>	<u>Count</u>	<u>Percent</u>
a. I did not drink milk during the past 7 days	142	11.2%
b. 1 to 3 glasses during the past 7 days	207	16.3%
c. 4 to 6 glasses during the past 7 days	228	18.0%
d. 1 glass per day	202	15.9%
e. 2 glasses per day	217	17.1%
f. 3 glasses per day	140	11.0%
g. 4 or more glasses per day	131	10.3%
Total	1,267	100.0%

<i>Q-65. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	88	7.0%
b. 1 day	77	6.1%
c. 2 days	109	8.7%
d. 3 days	116	9.2%
e. 4 days	145	11.5%
f. 5 days	167	13.3%
g. 6 days	122	9.7%
h. 7 days	433	34.4%
Total	1,257	100.0%

<i>Q-66. On an average school day, how many hours do you watch TV?</i>	<u>Count</u>	<u>Percent</u>
a. I do not watch TV on an average school day	205	16.3%
b. Less than 1 hour per day	248	19.7%
c. 1 hour per day	237	18.8%
d. 2 hours per day	263	20.9%
e. 3 hours per day	166	13.2%
f. 4 hours per day	75	5.9%
g. 5 or more hours per day	67	5.3%
Total	1,261	100.0%

<i>Q-67. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?</i>	<u>Count</u>	<u>Percent</u>
a. I do not play video or computer games or use a computer for something that is not school work	254	20.0%
b. Less than 1 hour per day	388	30.6%
c. 1 hour per day	251	19.8%
d. 2 hours per day	157	12.4%
e. 3 hours per day	110	8.7%
f. 4 hours per day	40	3.1%
g. 5 or more hours per day	70	5.5%
Total	1,270	100.0%

<i>Q-68. In an average week when you are in school, on how many days do you go to physical education (PE) classes?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	108	8.7%
b. 1 day	37	3.0%
c. 2 days	315	25.2%
d. 3 days	447	35.8%
e. 4 days	29	2.3%
f. 5 days	312	25.0%
Total	1,248	100.0%

2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

MIDDLE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-69. During the past 12 months, on how many sports teams did you play?</i>	<u>Count</u>	<u>Percent</u>
a. 0 teams	352	28.0%
b. 1 team	295	23.4%
c. 2 teams	252	20.0%
d. 3 or more teams	359	28.5%
Total	1,258	100.0%

<i>Q-70. Have you ever been taught about AIDS/HIV infection in school?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	796	63.5%
b. No	234	18.7%
c. Not sure	224	17.9%
Total	1,254	100.0%

<i>Q-71. Has a doctor or nurse ever told you that you have asthma?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	210	16.7%
b. No	967	77.1%
c. Not sure	77	6.1%
Total	1,254	100.0%

<i>Q-72. Do you still have asthma?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had asthma	815	65.9%
b. Yes	168	13.6%
c. No	139	11.2%
d. Not sure	114	9.2%
Total	1,236	100.0%